ORDER FOR SUPPLIES OR SERVICES							PAGE 1 OF 17					
1 CONTE	A CT DUD CH O	DD	ED/A CDEEMENT NO				3. DATE OF ORD		I 4 DEOL	HOLETON/DUDGH DE	OUEST NO	5 PRIORITY
			ER/AGREEMENT NO.	2. DELIV	ERY ORDER	/CALL NO.	(YYYYMMMDD)	ER/CAI		JISITION/PURCH RE	QUEST NO.	5. PRIORITY
6. ISSUEI	H09-04-P-0	66	L	CODE	W52H09	7. ADMINIST	20040CT06 ERED BY (If other t	han 6)	SEE S	CODE S	3915A	DOA5 8. DELIVERY FOB
TACOM-ROCK ISLAND AMSTA-LC-CSC-B CAROL S STAIB (309)782-7114 ROCK ISLAND IL 61299-7630 EMAIL: STAIBC@RIA.ARMY.MIL				DCM2 700 PO 1	A PHILADELPHI ROBBINS AVEN BOX 11427 LADELPHIA PA	A IUE I		ADP PT: HQ03:		DESTINATION X OTHER (See Schedule if other)		
9. CONTR	RACTOR			CODE	8Н739	FACIL		10. D		OB POINT BY (Date)	3 /	11. X IF BUSINESS IS
E.W. YOST COMPANY 340 N. WALES ROAD NAME AND BLUE BELL, PA. 19422-1324					(YYYYMMMDD) SEE SCHEDULE 12. DISCOUNT TERMS NET 30 DAYS					X SMALL SMALL DISADVANTAGED WOMAN-OWNED		
	• TVDF D	TTC	INESS: Othor Sm	all Pug	nogg Dorf	Forming in	•			S TO THE ADDRESS	IN BLOCK	
14. SHIP T		305	INESS: Other Sma	CODE	ness Peri	15. PAYMENT DFAS NOR	orming in U.S. See Block 15 15. PAYMENT WILL BE MADE BY CODE HQ033* DFAS COLUMBUS CENTER NORTH ENTITLEMENT OPERATIONS PO BOX 182266 COLUMBUS OH 43218-2266					MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16.	DELIVERY/ CALL		THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER G	GOVERNMENT AG	ENCY OR IN ACCORD	ANCE W	VITH AND SUBJE	ECT TO TERMS AND CO	NDITIONS OF ABOV	E NUMBERED CONTRACT.
TYPE OF ORDER	PURCHASE	.,,	Reference your	Oral			specified herein.	, Γ	Dated	·		
	FURCHASE	Х	ACCEPTANCE. THE BEEN OR IS NOW M	E CONTRA	CTOR HEREE	BY ACCEPTS TI	HE OFFER REPRES					MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMMDD) If this box is marked, supplier must sign Acceptance and return the following number of copies: 17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE												
	SCHEDULE											
18. ITEM	NO. 19. SO	CHE	DULE OF SUPPLIES/SI	ERVICE			20. QUANTITY ORDERED/ ACCEPTED*	?	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CONT Fi KINI	rra irm	HEDULE CT TYPE: -Fixed-Price F CONTRACT: ly Contracts and	d Price	d Orders							
	accepted by the			4. UNITED	STATES OF A	AMERICA J TKATCH	/SIGNED/			l	25. TOTAL 26.	\$53,124.00
If differen quantity o		iant cle.	ity accepted below B	Y:			IL (309)782-5		TRACTING/O	ORDERING OFFICER	DIFFERENCES	3
	PECTED	7		ACCEPTEI	, AND CONFO	ORMS TO CONT	TRACT EXCEPT AS	NOTE	D			
b. SIGNA	TURE OF AUTI	HOF	RIZED GOVERNMENT	REPRESEN	NTATIVE		c. DATE (YYYYMMMD	D)		D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT
e. MAILI	NG ADDRESS C)F A	UTHORIZED GOVERN	MENT RE	PRESENTATI	VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS					FINAL	PARTIAL				'ERIFIED CORRECT FOR		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.				r	31. PAYMENT				34. CHECK NU	INIBEK		
a. DATE	III IIIIS ACC	.00	b. SIGNATURE AND				COMPL				35. BILL OF L	ADING NO.
(YYYYM	MMDD)						FINAL	L				
37. RECE	2IVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVED (YYYYMMMDD) 40. TOTAL CONTAINERS 41. S/R ACCOUNT NUMBER 42. S/R VOUCH					IER NO.						

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 2 **of** 17

Name of Offeror or Contractor: E.W. YOST COMPANY

SUPPLEMENTAL INFORMATION

NOUN: RECOIL MECHANISM
NSN: 1005-01-454-8489

P/N: 12524530

- 1. THIS ORDER IS AWARDED FOB DESTINATION.
- 2. ACCELERATED DELIVERIES ARE ACCEPTABLE AT NO COST TO EITHER PARTY.

*** END OF NARRATIVE A 001 ***

Regulatory Cite _____ Title ____ Date

1 52.246-4311 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT

UIREMENT JUL/2004

TACOM-RI

This contract requires the offeror to be in compliance with the higher level quality requirement listed in Section E on date of award. Compliance is defined as meeting the intent of the higher level quality requirement. The contractor shall have documentation attesting to the compliance available to the Government upon request.

Note: It is not mandatory that a contractor be registered by the Registration Accreditation Board.

(End of Clause)

(AS6002)

2 HQ, DA NOTICE TO OFFERORS - USE OF CLASS I OZONE-DEPLETING SUBSTANCES

JUL/1993

- (a) In accordance with Section 326 of P.L. 102-484, the Government is prohibited from awarding any contract which includes a specification or standard that requires the use of a Class I ozone-depleting substance (ODS) identified in Section 602(a) of the Clean Air Act, 42 U.S.C. 7671a(a), or that can be met only through the use of such a substance unless such use has been approved, on an individual basis, by a senior acquisition official who determines that there is no suitable substitute available.
- (b) To comply with this statute, the Government has conducted a best efforts screening of the specifications and standards associated with this acquisition to determine whether they contain any ODS requirements. To the extent that ODS requirements were revealed by this review, they are identified in Section C with the disposition determined in each case.
- (c) If offerors possess any special knowledge about any other ODSs required directly or indirectly at any level of contract performance, the U.S. Army would appreciate if such information was surfaced to the Contracting Officer for appropriate action. To preclude delay to the procurement, offerors should provide any information in accordance with FAR 52.214-6 or 52.215-14 as soon as possible after release of the solicitation and prior to the submission of offers to the extent practicable. It should be understood that there is no obligation on offerors to comply with this request and that no compensation can be provided for doing so.

(End of Clause)

(AA7020)

3 52.201-4501 NOTICE ABOUT TACOM-RI OMBUDSMAN

AUG/2004

- a. We have an Ombudsman Office here at TACOM-RI. Its purpose is to open another channel of communication with TACOM-RI contractors.
 - b. If you think that this solicitation:
 - 1. has inappropriate requirements; or
 - 2. needs streamlining; or
 - 3. should be changed

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 3 of 17
CONTINUATION SHEET	PIIN/SIIN W52H09-04-P-0661 MOD/AMD	

Name of Offeror or Contractor: E.W. YOST COMPANY

you should first contact the buyer or the Procurement Contracting Officer (PCO).

- c. The buyer's name, phone number and address are on the cover page of this solicitation.
- d. If the buyer or PCO doesn't respond to the problem to your satisfaction, or if you want to make comments anonymously, you can contact the Ombudsman Office. The address and phone number are:

U.S. Army, TACOM-Rock Island

1 Rock Island Arsenal

ATTN: AMSTA-AQ-AR (OMBUDSMAN)
Rock Island IL 61299-7630
Phone: (309) 782-4931

Electronic Mail Address: ombudsman@ria.army.mil

- e. If you contact the Ombudsman, please provide her with the following information:
 - (1) TACOM-RI solicitation number;
 - (2) Name of PCO;
 - (3) Problem description;
 - (4) Summary of your discussions with the buyer/PCO.

(End of clause)

(AS7006)

4 52.210-4516 COMMERCIAL EQUIVALENT ITEM(S)

JUN/1998

THE GOVERNMENT HAS A PREFERENCE TO SATISFY ITS NEEDS THROUGH THE ACQUISITION OF COMMERCIAL ITEMS. IF YOU KNOW OF ANY COMMERCIAL EQUIVALENT ITEM(S) FOR THOSE LISTED IN THIS SOLICITATION, PLEASE CONTACT THE CONTRACTING OFFICE. INFORMATION PROVIDED WILL BE CONSIDERED FOR FUTURE PROCUREMENTS.

(END OF CLAUSE)

(AS7003)

5 52.211-4506 INSTRUCTIONS REGARDING SUBSTITUTIONS FOR MILITARY AND FEDERAL TACOM-RI SPECIFICATIONS AND STANDARDS

DEC/1997

- (a) Section I of this document contains DFARS clause 252.211-7005, Substitutions for Military Specifications and Standards, which allows bidders/quoters/offerors to propose Management Council approved Single Process Initiatives (SPIs) in their bids/quotes/offers, in lieu of military or Federal specifications and standards cited in this solicitation.
- (b) An offeror proposing to use an SPI process under this solicitation shall identify the following for each proposed SPI as required by DFARS 252.211-7005 contained in Section I:

SPI	MILITARY/FEDERAL	LOCATION OF	FACILITY	ACO
	SPEC/STANDARD	REQUIREMENT		

- (c) An offeror proposing to use an SPI process under this solicitation shall also provide a copy of the Department of Defense acceptance for each SPI process proposed.
- (d) In the event an offeror does not identify any SPI in paragraph (b) above, the Government shall conclude that the bidder/quoter/offeror submits its bid/quote/proposal in accordance with the requirements of this solicitation.
 - (e) The price that is provided by the offeror in the Schedule in Section B will be considered as follows:
- (1) If an SPI is identified in paragraph (b) above, the Government will presume that the price is predicated on the use of the proposed SPI.

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 4 of 17

Name of Offeror or Contractor: E.W. YOST COMPANY

(2) If there is no SPI identified in paragraph (b) above, the Government will presume the price is predicated on the requirements as stated in the solicitation.

(f) Bidders/quoters/offerors are cautioned that there is always the possibility that the Government could make a determination at the Head of the Contracting (HCA)/Program Executive Officer (PEO) level that the proposed SPI is not acceptable for this procurement. If such a determination is made, and the bid/quote/offer only identifies a price predicated on use of proposed SPI, the bid/quote/offer will be determined nonresponsive. Bidders/quoters/offerors who propose SPI processes are encouraged to provide a price below to reflect their price for the item manufactured in accordance with the requirements as stated in this solicitation to preclude possibly being determined nonresponsive:

CLIN _		_ PRICE	\$		
CLIN _		PRICE	\$		
CLIN _		PRICE	\$		
CLIN _		PRICE	\$		
)			(End of clause)		
	52.233-4503 TACOM-RI	AMC-LEVEL PROTES	T PROGRAM		JUN/1998

If you have complaints about this procurement, it is preferable that you first attempt to resolve those concerns with the responsible contracting officer. However, you can also protest to Headquarters, AMC. The HQ, AMC-Level Protest Program is intended to encourage interested parties to seek resolution of their concerns within AMC as an Alternative Dispute Resolution forum, rather than filing a protest with General Accounting Office or other external forum. Contract award or performance is suspended during the protest to the same extent, and within the same time periods, as if filed at the GAO. The AMC protest decision goal is to resolve protests within 20

working days from filing. To be timely, protests must be filed within the periods specified in FAR 33.103. Send protests (other than protests to the contracting officer) to:

HQ Army Materiel Command Office of Command Counsel

ATTN: AMCCC-PL

9301 Chapek Rd 2-1SE3401 Fort Belvoir VA 22060-5527

Facsimile number (703) 806-8866/8875

Voice Number (703) 806-8762

The AMC-level protest procedures are found at:

http://www.amc.army.mil/amc/cc/protest.html

If Internet access is not available contact the contracting officer or HQ, AMC to obtain the AMC-Level Protest Procedures.

(End of Clause)

(AS7010)

(AS7008

(OCTOBER 1996)

Reference No. of Document Being Continued PIIN/SIIN $\mbox{W5}2H09-04-P-0661$ MOD/AMD

Page 5 **of** 17

Name of Offeror or Contractor: E.W. YOST COMPANY

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 1005-01-454-8489 FSCM: 19200 PART NR: 12524530 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	38	EA	\$ 1,398.00000	\$ 53,124.00
	NOUN: RECOIL MECHANISM, 25 PRON: M142V530M1 PRON AMD: 03 ACRN: AA AMS CD: 060011H8GUN				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W52H093336A611 W62G2T J 1 DEL REL CD QUANTITY DEL DATE 001 38 14-DEC-2004				
	FOB POINT: Destination				
	SHIP TO: FREIGHT ADDRESS (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95304-5000				
	CONTRACT/DELIVERY ORDER NUMBER W52H09-04-P-0661/0000				
0002	CDRL			\$** NSP **	\$** NSP **
	SECURITY CLASS: Unclassified				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination				
	SEQUENCE A001 THRU A004 Contractor will prepare and deliver the technical data in accordance with the				

Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 6 **of** 17

Name of Offeror or Contractor: E.W. YOST COMPANY

TEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	requirements, quantities and schedules set forth in the Contract Data Requirements Lists (DD Form 1423), Exhibit A.				
	A DD 250 IS NOT REQUIRED.				
	(End of narrative F001)				

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 7 **of** 17

Name of Offeror or Contractor: E.W. YOST COMPANY

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

7 52.210-4501 TACOM-RI DRAWINGS/SPECIFICATION

MAR/1988

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 12524530 with revisions in effect as of 12 DEC 03 (except as follows):

PRODUCT DRAWING CITING DISTRIBUTION STATEMENT "A", CHANGE TO "C".

ALL INSPECTION DRAWINGS AND ASSOCIATED DOCUMENTS WITHOUT DISTRIBUTION STATEMENT, ADD DISTRIBUTION STATEMENT "A".

WHEREVER APPLICABLE (QAPs/SQAPs)

DELETE SUBSTITUTE

MIL-STD-105 MIL-STD-1916

MIL-STD-105 AQLS MIL-STD-1916 VL IV FOR MAJOR & MIL-STD-1916 FOR MINOR CHARACTERISTICS

SPI 12524530: CHANGE MIL-PRF-21164 TO MIL-G-21164

TDPL: AT NASM CALLOUTS, UNDER NOTE COLUMN, ADD "*"

DOCUMENT DELETE		SUBSTITUTE	ADD:
12524426			REV H (REF)
12524431			REV H (REF)
MS33649			CXLD
SAE-AS5202			08/00/01
			(REPLACES MS33649)
AMS-2300	REV H	REV K	
AMS-6471	REV D	REV E	
MIL-H-6875	XX	AMS-H-6875A	
QQ-A-225/9	XX	AMS-QQ-A-225/9	
QQ-C-320	XX	AMS-QQ-C-320	
MIL-R-83248			CXLD
AMS-7276			REV G
			(REPLACES MIL-R-83248)
MIL-R-83248/1			"Q" IN QPL COLUMN

THE FOLLOWING GOVERNMENT ACCEPTANCE INSPECTION EQUIPMENT (AIE) DESIGNS DRAWINGS, CITED ELSEWHERE IN THE TECHNICAL DATA, ARE APPROPRIATE FOR USE DURING PERFORMANCE OF THIS CONTRACT TO INSPECT THE APPLICABLE CHARACTERISTICS

O ALL AIE DESIGNS SPECIFIED FOR CRITICAL CHARACTERISTICS/DEFECTS

o OTHER - LISTS BY CITING INDIVIDUAL DRAWING NUMBERS OR EQUIPMENT LIST(S),

NONE

ALL OTHER GOVERNMENT ALE DESIGNS WHICH ARE CITED IN THE TEVCHNICAL DATA PACKAGE LIST OR IN ANY OF THE DOCUMENTS IN THE TECHNICAL DATA PACKAGE ARE NO LONGER BEING MAINTAINED BY THE GOVERNMENT, MAY NOT REFLECT THE LATEST COMPONENT CONFIGURATION AND ARE, THEREFORE, INCLUDED FOR INFORMATION PURPOSES ONLY. EXCEPT FOR THE ALE DESIGNS LISTED ABOVE, THE CONTRACTOR IS RESPONSIBLE FOR THE DESIGN AND SUBMISSION TO THE GOVERNMENT FOR REVIEW OF ALL OTHER ALE IN ACCORDANCE WITH CLAUSE ES7002 SPECIFIED ELSEWHERE IN SECTION OF THIS CONTRACT.

(End of Clause)

(CS6100)

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 8 **of** 17

Name of Offeror or Contractor: E.W. YOST COMPANY

8 52.210-4501 TACOM-RT PHOSPHATE COATING REQUIREMENT

MAR/2002

The following requirements regarding phosphate coating are applicable to this solicitation and any resultant contract in addition to those requirements set forth in specification MIL-DTL-16232G.

- a. Paragraph 3.1 of MIL-DTL-16232G refers to "Preproduction Inspection". The appropriate address to which phosphate coating procedures should be sent by the contractor is Commander, Tank-automotive and Armaments Command Rock Island site, ATTN: AMSTA-LC-CSC-B/CAROL S. STAIB, Rock Island, IL 61299-7630. The contract number must be cited on all phosphate coating procedures being submitted to TACOM-RI for review and approval. Procedures shall include product name and manufacturer of all chemicals to be used. All processes, equipment, and controls used for phosphating shall be described in detail.
- b. Paragraph 3.2.5-c of MIL-DTL-16232G refers to the "Chromic acid rinse, (Classes 1, 2, and 3)." The final rinse shall be checked by a standard free and total acid titration along with a pH reading prior to starting production and at least every 8 hours thereafter.
- c. Paragraph 4.7.3 of MIL-DTL-16232G refers to "Weight per unit area of phosphate coatings." The frequency for testing coating weight is per lot "at least every 8 hours."
- d. Paragraph 4.7.5 of MIL-DTL-16232G refers to "Accelerated corrosion resistance." Accelerated corrosion resistance shall be determined in accordance with 4.7.5.1. The frequency for testing accelerated corrosion resistance per ASTM B117 is per lot "at least every 8 hours."

(End of clause)

(CS6510)

PACKAGING AND MARKING

9 52.211-4501 PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)

FEB/2004

A. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 Dec 99 including Notice 1, dated 10 May 02 and the Special Packaging Instruction contained in the TDP.

Preservation: MILITARY Level of Packing: B

Quantity Per Unit Package: ONE EACH

SPI Number: 12524530, REV A, DATED 01 FEB 03

- B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.
 - C. Marking: In addition to any special markings called out on the SPI;
- C.1. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 2, Date 10 Feb 04, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- C.2. Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots; e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the standard, see paragraph 5.3.
 - C.3. Contractor to contractor shipments shall have the address markings applied to the identification marked side of the

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 9 **of** 17

Name of Offeror or Contractor: E.W. YOST COMPANY

exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

- C.4. Military Shipping Label. The following website (Computer Automated Transportation Tool, CAAT) provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm. This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (http://milpac.com) and Easysoft Corporation (http://easysoftcorp.com). Insure that the "ship to" and "mark for" in-the-clear delivery address is complete including: consignee's name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- D. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- E. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the PCO and ACO. The Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

F. Hazardous Materials:

- F.1. Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- F.2. Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments)

- F.3. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations. Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- F.4. A Product Material Safety Data Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
 - G. SUPPLEMENTAL INSTRUCTIONS: N/A

(End of clause)

(DS6419)

INSPECTION AND ACCEPTANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 10 of 17

Name of Offeror or Contractor: E.W. YOST COMPANY

http://www.arnet.gov/far/

or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(EA7001)

10 52.246-2 INSPECTION OF SUPPLIES - FIXED-PRICE

AUG/1996

11 52.246-11

HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT

FEB/1999

The Contractor shall comply with the higher-level quality standard below. The Contractor shall be fully compliant prior to award of this contract.

Title Number Date Tailoring

Quality Management Systems Requirements

TSO 9001:2000

13 Dec 2000 TAILO

TAILOR BY EXCLUDING

PARAGRAPH 7.3

(End of clause)

(EF6002)

12 52.246-4528

REWORK AND REPAIR OF NONCONFORMING MATERIAL

MAY/1994

TACOM-RI

- a. Rework and Repair are defined as follows:
- (1) Rework The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.
- (2) Repair The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is distinguished from rework in that the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.
- b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.
- c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, to the Contracting Officer for review and written approval prior to implementation.
- d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause for the nonconformances and a description of the action taken or to be taken to prevent recurrence.
- e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data Package requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

(End of Clause)

(ES7012)

13 52.246-4531 ACCEPTANCE INSPECTION EQUIPMENT (AIE)

MAR/2001

- (a) The contractor shall use a calibration system with traceability to a national or international standard for the AIE used on this contract.
- (b) The contractor shall provide all AIE (except for any AIE listed as available in Section H or Appendix I) necessary to assure conformance of material to the contract requirements.
 - (c) AIE shall be available for use on the First Article (FA) submission, if FA is required, or prior to use for acceptance of

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 11 of 17

Name of Offeror or Contractor: E.W. YOST COMPANY

production material on this contract.

- (d) Contractor furnished AIE shall be made (i) to the AIE designs specified in Section C, or (ii) to any other design provided the contractor's proposed AIE design is approved by the Government. Contractor's proposed AIE design for inspection of characteristics listed as "Critical, Special or Major" shall be submitted to the Government for review and approval as directed on the Contract Data Requirements List, DD Form 1423. Government approval of AIE design shall not be considered to modify the contract requirements.
- (e) When the contractor submits it's proposed AIE on commercial off the shelf equipment, the contractor shall include the manufacturer's name and model number, and sufficient information to show capability of the proposed AIE to perform the inspection required. When submitting proposed AIE design documentation on commercial computer controlled test and measuring equipment include information on (1) test program listing (2) flowcharts showing accept and reject limits and computer generated test stimuli (3) calibration program listing (4) sample of the printout of an actual test and calibration (5) test plan to verify accuracy of inspection and correctness of accept or reject decision (6) identification of the equipment by model name and number.
- (f) Resubmission of the contractor's proposed AIE design for Government approval on a follow on Government contract is not required, provided the inspection characteristic parameters specified in the technical data package and the previously Government approved AIE designs have not changed. In this situation, the contractor shall provide written correspondence in the place of the AIE designs that indicates the prior Government approval and states that no changes have occurred.
- (g) The Government reserves the right to disapprove, at any time during the performance of this contract, any AIE that is not accomplishing its intended use in verifying an inspection or test characteristic.
- (h) If the contractor changes the design after the initial approval, the modified design must be submitted for approval prior to use.

(End of clause)

(ES7002)

DELIVERIES OR PERFORMANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(FA7001)

14	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
15	52.247-34	F.O.B. DESTINATION	NOV/1991
16	52.247-48	F.O.B. DESTINATION - EVIDENCE OF SHIPMENT	FEB/1999
17	52.211-16	VARIATION IN QUANTITY	APR/1984

- (a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.
 - (b) The permissible variation shall be limited to:

Zero percent (0%) increase

Zero percent (0%) decrease.

This increase or decrease shall apply to the total contract quantity.

(End of Clause)

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 12 of 17
CONTINUATION SHEET	PIIN/SIIN W52H09-04-P-0661 MOD/AMD	

Name of Offeror or Contractor: E.W. YOST COMPANY

(FF7020)

- 18 52.247-4531 COGNIZANT TRANSPORTATION OFFICER MAY/1993 TACOM-RI
- (a) The Contract Administration Office designated at the time of contract award, or the office servicing the point of shipment if subsequently designated by the original office, will be the contact point to which the contractor will:
- (1) Submit, as necessary, DD Form 1659, Application for U.S. Government Bill(s) of Lading/Export Traffic Release, in triplicate at least ten days prior to date supplies will be available for shipment;
 - (2) Obtain shipping instructions as necessary for F.O.B. Destination delivery; and
- (3) Furnish necessary information for MILSTRIP/MILSTAMP or other shipment documentation and movement control, including air and water terminal clearances.
- (4) For FMS, at least 10 days in advance of actual shipping date, the contractor should request verification of ''Ship to'' and ''Notification'' address from the appropriate DCMA.
 - (b) The Contract Administration Office will provide to the contractor data necessary for shipment marking and freight routing.
- (c) The contractor shall not ship directly to a Military air or water port terminal without authorization by the designated point of contact.

(End of Clause)

(FS7240)

	COMPINITA PROMICINEE		Refer	Reference No. of Document Being Continued					
	CONTINUATIO	PIIN/SIIN	PIIN/SIIN W52H09-04-P-0661			AMD			
Name of Offeror or Contractor: E.W. YOST COMPANY							•		
CONTRAC	T ADMINISTRATION DAT	ГА							
INE		BLG FAT ACCOUNTING	CLASSIFICATION			JOB ORDER NUMBER	ACCOUNTI STATION	ING	OBLIGATED AMOUNT
 0001AA	M142V530M1 AA 060011H8GUN		AC9G 6D	26KB	S11116		W52H09	\$	53,124.00
							TOTAL	\$	53,124.00
SERVICE NAME	TOTAL BY ACI	RN ACCOUNTING	CLASSIFICATION			ACCOU STATI			OBLIGATED AMOUNT
Army	AA	97 X4930	AC9G 6D	26KB	S11116	W52H0	9	\$ _	53,124.00
							TOTAL	\$	53,124.00

AUG/1997

The paying office shall ensure that the invoice/voucher is disbursed from each ACRN as indicated on the invoice/voucher.

(End of clause)

52.232-4500 CONTRACT PAYMENT INSTRUCTIONS

(GS7016)

19

TACOM-RI

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 14 of 17

Name of Offeror or Contractor: E.W. YOST COMPANY

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(HA7001)

- 20 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA ALTERNATE III MAY/2002
 DFARS

 21 52.246-4500 MATERIAL INSPECTION & RECEIVING REPORTS (DD FORM 250) NOV/2001
 TACOM-RI
- (a) Material Inspection and Receiving Report(s) (DD Form 250), are required to be prepared and furnished to the Government under the clause of this contract entitled 'Material Inspection and Receiving Report'. Distribution of reports to the Purchasing Office (in accordance with DoD FAR Supplement Appendix F) shall be accomplished electronically.
- (b) Two copies of the DD Form 250 are required to be submitted to the Purchasing Office. To satisfy this submission requirement electronically, the completed documents may be transmitted via electronic mail, or data fax. The electronic mail address for submission is STAIBC@RIA.ARMY.MIL. The data fax number for submission is 309-782-6346, ATTN: AMSTA-LC-CSC-B/CAROL S. STAIB.
- (c) Any additional copies required in accordance with Appendix F may be submitted to the addresses identified below via the U. S. Postal Service:
 - (1) The FMS/MAP copies may be submitted to: $\ensuremath{\text{N/A}}$

(End of Clause)

(HS6510)

Serving Carrier: __

22 52.247-4545 PLACE OF CONTRACT SHIPPING POINT, RAIL INFORMATION MAY/1993

The bidder/offeror is to fill in the 'Shipped From' address, if different from 'Place of Performance' indicated elsewhere in this section.

Shipped From:
or contracts involving F.O.B. Origin shipments furnish the following rail information:
oes Shipping Point have a private railroad siding? YES NO
f YES, give name of rail carrier serving it:
f NO, give name and address of nearest rail freight station and carrier serving it:
ail Freight Station Name and Address:

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661 MOD/AMD

Name of Offeror or Contractor: E.W. YOST COMPANY

(End of Clause)

(HS7600)

CONTRACT CLAUSES

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(IA7001)

23	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
24	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
25	52.222-19	CHILD LABOR - COOPERATION WITH AUTHORITIES AND REMEDIES	JUN/2004
26	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
27	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR REGISTRATION	OCT/2003
28	52.243-1	CHANGES - FIXED PRICE	AUG/1987
29	252.204-7003 DFARS	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
30	252.225-7001 DFARS	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
31	252.231-7000 DFARS	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
32	252.232-7003 DFARS	ELECTRONIC SUBMISSION OF PAYMENT REQUESTS	JAN/2004
33	252.242-7000 DFARS	POSTAWARD CONFERENCE	DEC/1991
34	252.243-7001 DFARS	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
35	252.246-7000 DFARS	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
36	52.213-4	TERMS AND CONDITIONS - SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS)	OCT/2004

Paragraph (b)(1)(viii) is deleted from this clause.

Information to be inserted in Paragraph (c):
 http://www.arnet.gov/far/
 or

www.acq.osd.mil/dp/dars

(IF8001)

37 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES

APR/1984

Page 15 of 17

- (a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the date of the clause.
- (b) The use in this solicitation or contract of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the name of the regulation.

(End of clause)

(IF7016)

38 252.211-7005 SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS FEB/2003
DFARS

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0661

MOD/AMD

Page 16 of 17

Name of Offeror or Contractor: E.W. YOST COMPANY

- (a) <u>Definition</u>. ''SPI process,'' as used in this clause, means a management or manufacturing process that has been accepted previously by the department of defense under the Single Process Initiative (SPI) for use in lieu of specific military or Federal specification or standard at specific facilities. Under SPI, these processes are reviewed and accepted by a Management Council, which includes representatives from the Defense Contract Management Agency, the Defense Contract Audit Agency, and the military departments.
- (b) Offerors are encouraged to propose SPI process in lieu of military or Federal specifications and standards cited in the solicitation. A listing of SPI process accepted at specific facilities is available via the Internet in Excel format at http://www.dcma.mil/onebook/7.0/7.2/7.2.6/reports/modified.xls
- (c) An offeror proposing to use an SPI process in lieu of military or Federal specifications or standard cited in the solicitation shall--
 - (1) Identify the specific military or Federal specification or standard for which the SPI process has been accepted,
- (2) identify each facility at which the offeror proposed to use the specific SPI process in lieu of military or Federal specifications or standards cited in the solicitation;
 - (3) Identify the contract line items, subline items, components, or elements affected by the SPI process; and
- (4) If the proposed SPI process has been accepted at the facility at which it is proposed for use, but is not yet listed at the Internet site specified in paragraph (b) of this clause, submit documentation of Department of Defense acceptance of the SPI process.
- (d) Absent a determination that an SPI process is not acceptable for this procurement, the Contractor shall use the following SPI processes in lieu of military or Federal specifications or standards:

(Offeror insert information for each SPI process)

SPI Process:
Facility:
Military or Federal Specification or Standard:
Affected Contract Line Item Number, Subline Item Number, Component, or Element:

- (e) If a prospective offeror wishes to obtain, prior to the time specified for receipt of offers, verification that an SPI process is an acceptable replacement for military or Federal specifications or standards required by the solicitation, the prospective offeror -
- (1) May submit the information required by paragraph (d) of this clause to the Contracting Officer prior to submission of an offer; but
- (2) Must submit the information to the Contracting Officer at least 10 working days prior to the date specified for receipt of offers.

(End of Clause)

(IA7009)

Reference No. of Document Being Continued

MOD/AMD

Page 17 of 17

Name of Offeror or Contractor: E.W. YOST COMPANY

LIST OF ATTACHMENTS

List of Number

Addenda Title Date of Pages Transmitted By

PIIN/SIIN W52H09-04-P-0661

Exhibit A CONTRACT DATA REQUIREMENTS LIST (CDRL) 2PG

Attachment 001 DOCUMENT SUMMARY LIST